Blotting Grade Affinity Purified Goat Anti-Human IgG (H + L) Horseradish Peroxidase Conjugate

Catalog Number 172-1050



Specifications

Contents

 $2.0 \, \mathrm{ml}$

Buffer

10 mM sodium phosphate, 150 mM sodium chloride, pH 7.2. Contains 1.0% bovine serum albumin as a stabilizer and 0.01% thimerosal as a bacteriostat.

antibody

Preparation of Goat anti-human IgG (H + L) is prepared from antisera raised in goats immunized with purified human IgG. Immunoaffinity chromatography procedures are used to isolate antibodies and to remove antibodies which crossreact with bovine immunoglobulin.

conjugate

Preparation of Antibody is conjugated to horseradish peroxidase using a modification of the periodate oxidation procedure described by Wilson and Nakane.1

Storage conditions This reagent is shipped frozen on dry ice and can be stored at -20 °C prior to opening. Once thawed, store the product at 4 °C. Repeated freeze-thaw cycles will damage the reagent.

Shelf life

One year at 4 °C.

Recommended 1/3,000 working dilution

This product is intended for research use only. It is not intended for clinical diagnostic purposes.

Reference

1. Wilson, M. B. and Nakane, P. K., Immunofluorescence and Related Staining Techniques, Knapp, W., Holubar, K. and Wick, G., eds., Elsevier/North Holland Biomedical Press, Amsterdam, pp. 215-224 (1978).