

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

1 Identification of substance:

- **Product details:**
- **Trade name:** Vasculitis Calibrator L03
- **Catalog or product number:** 663-1803
- **Application of the substance / the preparation** In-vitro laboratory reagent or component
- **Manufacturer/Supplier:**
 Bio-Rad Laboratories, Diagnostic Group
 4000 Alfred Nobel Drive
 Hercules, California 94547 1(510)724-7000
- **Information department:** Technical services, customer support.
- **Emergency information:**
 1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/Information on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

· **Listing of dangerous and non-hazardous components:**

Comprehensive Negative Serum (Human)		50-100%
MPO Positive Serum (human)		5-10%
PR3 Positive Serum (human)		5-10%
GBM Positive Serum (human)		5-10%
ProClin 300	C, Xn, N; R 20/21/22-34-43-51/53	0.1-1.0%

- **Additional information**
 Contains human sourced and/or potentially infectious components.
 For the wording of the listed risk phrases refer to section 15.

3 Hazards identification

- **Emergency overview:**
 Irritant to skin.
 Sensitizer by dermal contact.
 Irritant to respiratory system and skin.
 Xi Irritant
- **Routes of exposure:** Skin
- **Information pertaining to particular dangers for man and environment**
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 R 43 May cause sensitization by skin contact.
- **Classification system**
 The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.
 The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

Trade name: Vasculitis Calibrator L03

(Contd. of page 1)

4 First aid measures

- **After inhalation**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **The following symptoms may occur:**
Headache
Allergic reactions

5 Fire fighting measures

- **Suitable extinguishing agents**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** Wear fully protective suit.

6 Accidental release measures

- **Person-related safety precautions:** Handle as potentially infectious.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:** Disinfectant effective against agent of concern.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
Keep receptacles tightly sealed.
No special measures required.
No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** None.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**

26628-22-8 sodium azide

REL (United States)	Short-term value: C 0.3** mg/m ³ , C 0.1* ppm *as HN3 vapor; **as NaN3; Skin
TLV (United States)	Short-term value: C 0.29** mg/m ³ , C 0.11* ppm *as HN3 vapor **as NaN3

(Contd. on page 3)

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

Trade name: Vasculitis Calibrator L03

(Contd. of page 2)

- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Personal protective equipment**
- **General protective and hygienic measures**
*Follow the usual biosafety practices for handling potentially infectious materials.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.*
- **Protection of hands:**
*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Protective gloves.*
- **Material of gloves**
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 Nitrile rubber, NBR
 Neoprene gloves
 Synthetic gloves*
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** *Safety glasses*
- **Body protection:**
*Protective work clothing.
 Apron*

9 Physical and chemical properties:

· **General Information**

Form: *Liquid*
Color: *Amber colored*
Odor: *Odorless*

· **Change in condition**

Melting point/Melting range: *undetermined*
Boiling point/Boiling range: *undetermined*

· **Flash point:** *Not applicable*

· **Auto igniting:** *Product is not selfigniting.*

· **Danger of explosion:** *Product does not present an explosion hazard.*

· **Density:** *Not determined*

· **Solubility in / Miscibility with**

Water: *Fully miscible*

· **pH-value at 20°C:** *7-8*

· **Solvent content:**

Organic solvents: *0.0 %*

Solids content: *100.0 %*

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

Trade name: Vasculitis Calibrator L03

(Contd. of page 3)

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions**
This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.
- **Dangerous products of decomposition:**
Nitrogen oxides
Carbon dioxide

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritant effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
- **Target organs:** Skin.

12 Ecological information:

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
Dispose of waste in accordance to applicable national, regional, or local regulations.
Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

DUS

(Contd. on page 5)

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

Trade name: Vasculitis Calibrator L03

(Contd. of page 4)

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

15 Regulations

- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

- **Section 313 (40CFR372.65):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

7647-14-5	sodium chloride
532-32-1	sodium benzoate
26628-22-8	sodium azide
7447-40-7	potassium chloride
7778-77-0	potassium dihydrogenorthophosphate

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Markings according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

- **Code letter and hazard designation of product:**

Xi Irritant

- **Hazard-determining components of labelling:**

ProClin 300

- **Risk phrases:**

43 May cause sensitization by skin contact.

- **Safety phrases:**

24 Avoid contact with skin.

(Contd. on page 6)

Material Safety Data Sheet

Printing date 04/02/2010

Reviewed on 03/25/2010

Trade name: Vasculitis Calibrator L03

(Contd. of page 5)

*37 Wear suitable gloves.**56 Dispose of this material and its container at hazardous or special waste collection point***· National regulations****· Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***16 Other information:***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***· Department issuing MSDS:** *Environmental Health and Safety.***· Contact:***Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000**Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000***· * Data compared to the previous version altered.**