

06/03/2015

Kit Components

Product code	Description
195-6068	UMETS by HPLC
	Urinary Metanephrines by HPLC
Components:	
195-6038	UCAT/UMET by HPLC Basic Reagent
195-6037	UCAT/UMET Acidic Reagent
195-6039	UCAT/UMET/VMA by HPLC Reconstitution Reagent
1956046	UMETS by HPLC Hydrolysis Reagent
1956043	UMETS by HPLC Dilution Reagent
1956044	UMETS by HPLC Transfer Buffer
1956045	UMETS by HPLC Elution Reagent
195-6076	UMETS by HPLC Mobile Phase
195-6021	UCAT/UMET Urine Calibrator/Urine Std
195-6047	UMETS by HPLC Internal Standard
189-6003	UMETS Cation Exchange Columns
189-6004	UMETS Anion Exchange Columns



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- Product identifier
- · Trade name: UCAT/UMET by HPLC Basic Reagent
- · Catalog or product number: 195-6038
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Void
- · Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling: sodium hydroxide
- · Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system

· NFPA ratings (scale 0-4)

Health = 1 Fire = 0Reactivity = 0

4 First-aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

- Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

– DL



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

(Contd. of page 2)

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Safety glasses

Tightly sealed goggles.

9 Physical and chemical properties		
 General Information Appearance: Form: Color: Odor: Odour threshold: 	Liquid Colorless Odorless Not determined.	
· pH-value at 20 °C:	12-14	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	0 °C 100 °C	
· Flash point:	Not applicable	

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

		(Contd. of page
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.011 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	98.0 %	
Solids content:	2.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- · Primary irritant effect:
- on the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

(Contd. of page 4)

- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive .

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Skin.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1824

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

	(Contd. of pa	ige 5
UN proper shipping nameADRIMDG, IATA	1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION	
· Transport hazard class(es) · Label	8	
· ADR, IMDG, IATA · Class · Label	8 Corrosive substances 8	
· Packing group · DOT, ADR, IMDG, IATA	III	
· Environmental hazards: · Marine pollutant:	No	
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups 	Warning: Corrosive substances 80 F-A,S-B Alkalis	
· Transport in bulk according to Annex II of M. and the IBC Code	ARPOL73/78 Not applicable.	
· UN "Model Regulation":	UN1824, Sodium hydroxide solution, 8, III	

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000 (Contd. on page 7)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET by HPLC Basic Reagent

(Contd. of page 6)

· Date of preparation / last revision 06/03/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

* Data compared to the previous version altered.

US -



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UCAT/UMET Acidic Reagent
- · Catalog or product number: 195-6037
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

ı	9	g	
	7732-18-5	water	50-100%
	64-19-7	acetic acid, glacial	5-10%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

– D



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Acidic Reagent

(Contd. of page 1)

5 Fire-fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid, glacial

PEL (United States) 25 mg/m³, 10 ppm

REL (United States) Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

TLV (United States) Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.

(Contd. on page 3)



Reviewed on 06/02/2015 Printing date 06/03/2015

Trade name: UCAT/UMET Acidic Reagent

(Contd. of page 2)

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Physical and chemical prope	erues	
General Information Appearance: Form: Color: Odor: Odour threshold:	Liquid According to product specification Odorless Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 100 °C	
Flash point:	> 55 °C	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:	485 ℃	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C: Relative density Vapour density Evaporation rate	1.0031 g/cm³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: Water:	6.5 % 93.5 %	

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Acidic Reagent

(Contd. of page 3)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

64-19-7 acetic acid, glacial

Oral LD50 3310 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Acidic Reagent

(Contd. of page 4)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IATA	UN3265
UN proper shipping name IATA	Corrosive liquid, acidic, organic, n.o.s. (acetic acid solution
Transport hazard class(es)	
IATA Class	8 Corrosive substances
Packing group DOT, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MAR and the IBC Code	RPOL73/78 Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Acidic Reagent

(Contd. of page 5)

- · National regulations
- · Technical instructions (air):

Class	Share in %
11	5-10

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- Abbreviations and acronyms:

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.

DUS



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- Product identifier
- · Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent
- · Catalog or product number: 195-6039
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Void
- · Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent

· After swallowing Induce vomiting and call for medical help.

(Contd. of page 1)

5 Fire-fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL (United States) Short-term value: C 7 mg/m³, C 5 ppm
REL (United States) Short-term value: C 7 mg/m³, C 5 ppm
TLV (United States) Short-term value: C 2.98 mg/m³, C 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective aloves.
- · Material of gloves Synthetic gloves

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent

(Contd. of page 2)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Physical and chemical prope	il des	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value at 20 °C:	<5	
Change in condition		
Melting point/Melting range:	0 °C	
Boiling point/Boiling range:	100 °C	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.001 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient (n-octanol/wat	t er): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	99.8 %	



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent

(Contd. of page 3)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · **Sensitization:** No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent

(Contd. of page 4)

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of	MARPOL73/78	
and the IBC Code	Not applicable.	

Not dangerous according to the above specifications.

15 Regulatory information

· UN "Model Regulation":

· Transport/Additional information:

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

7647-01-0 hydrochloric acid

· Section 313 (40CFR372.65):

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET/VMA by HPLC Reconstitution Reagent

(Contd. of page 5)

- · Department issuing SDS: Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

· * Data compared to the previous version altered.

DUS



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Hydrolysis Reagent
- · Catalog or product number: 1956046
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

7732-18-5 wa	ater	50-100%
7647-01-0 hy	vdrochloric acid	5-10%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrochloric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system

· NFPA ratings (scale 0-4)

Health = 1 Fire = 0Reactivity = 0

4 First-aid measures

- · **General information** Immediately remove any clothing soiled by the product.
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Seek medical treatment.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire-fighting measures

- Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL (United States) Short-term value: C 7 mg/m³, C 5 ppm
REL (United States) Short-term value: C 7 mg/m³, C 5 ppm
TLV (United States) Short-term value: C 2.98 mg/m³, C 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

9 Physical and chemical properties

- · General Information
- · Appearance:

Form: Liquid Whitish
Odor: Pungent

· Odour threshold: Not determined.

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

		(Contd. of pag
pH-value at 20 °C:	< 1	
Change in condition		
Melting point/Melting range:	undetermined	
Boiling point/Boiling range:	undetermined	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.00916 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	93.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Strong caustic effect on skin and mucous membranes.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

(Contd. of page 4)

Caustic effect on skin and mucous membranes.

- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Skin.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

- DU



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

(Contd. of page 5)

14 Transport information		
· UN-Number · DOT, IATA	UN1789	
· UN proper shipping name · IATA	Hydrochloric acid solution	
· Transport hazard class(es)		
· IATA · Class	8 Corrosive substances	
· Packing group · DOT, IATA	III	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of MARPOL73/7 and the IBC Code	8 Not applicable.	

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

7647-01-0 hydrochloric acid

Section 313 (40CFR372.65):

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 7)



Reviewed on 06/02/2015 Printing date 06/03/2015

Trade name: UMETS by HPLC Hydrolysis Reagent

(Contd. of page 6)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A * Data compared to the previous version altered.

DUS

1(510)724-7000



Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2015 Reviewed on 05/13/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Dilution Reagent
- · Catalog or product number: 1956043
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

· Information department:

Technical services, customer support TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

12007-89-5 Ammonium pentaborate octahydrate

2.5-5%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system
- · NFPA ratings (scale 0-4)

Health = 0

Fire = 0

Reactivity = 0

- DU



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Dilution Reagent

(Contd. of page 1)

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eve contact Rinse opened eve for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. (Contd. on page 3)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Dilution Reagent

(Contd. of page 2)

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Physical and chemical prope	erties en la companyation de la	
· General Information · Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	7.5	
· Change in condition		
Melting point/Melting range:	0 °C	
Boiling point/Boiling range:	100 °C	
· Flash point:	Not applicable	
· Flammability (solid, gaseous)	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C:	23 hPa	
· Density:	Not determined	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	95.9 %	

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Dilution Reagent

(Contd. of page 3)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · **Sensitization:** No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Dilution Reagent

(Contd. of page 4)

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex II of and the IBC Code 	MARPOL73/78 Not applicable.	

Not dangerous according to the above specifications.

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Transport/Additional information:

- · Section 313 (40CFR372.65):
- 12007-89-5 Ammonium pentaborate octahydrate
- · TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental Health and Safety.

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Dilution Reagent

(Contd. of page 5)

· Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

· * Data compared to the previous version altered.

US -



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Transfer Buffer
- · Catalog or product number: 1956044
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

7732-18-5 water	50-100%
1336-21-6 ammonia, aqueous solution	5-10%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: ammonia, aqueous solution

· Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system

· NFPA ratings (scale 0-4)

Health = 1 Fire = 0 Reactivity = 0

4 First-aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep receptacles tightly sealed.

No special measures required.

- Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

9 Physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Whitish

Odor: Ammonia-like
Odour threshold: Not determined.

• **pH-value at 20 °C:** 11.9

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

	(Cont	td. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 100 °C	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C: Relative density Vapour density Evaporation rate	0.985 g/cm³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: Water:	0.0 % 92.9 % No further relevant information available	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- Primary irritant effect:
- on the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

(Contd. of page 4)

- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Skin.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

– DUS



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

(Contd. of page 5)

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/7 and the IBC Code	8 Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- · Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

- · Section 313 (40CFR372.65):
- 1336-21-6 ammonia, aqueous solution
- · TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environmental Health and Safety.
- Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Date of preparation / last revision 06/03/2015 / -

(Contd. on page 7)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Transfer Buffer

(Contd. of page 6)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* Data compared to the previous version altered.

DUS



Printing date 06/03/2015 Reviewed on 05/13/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Elution Reagent
- · Catalog or product number: 1956045
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

631-61-8 ammonium acetate

1.0-2.5%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system
- · NFPA ratings (scale 0-4)

Health = 0

Fire = 0

Reactivity = 0

- DU



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Elution Reagent

(Contd. of page 1)

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid, glacial

PEL (United States) 25 mg/m³, 10 ppm

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Elution Reagent

(Contd. of page 2)

REL (United States) Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

TLV (United States) | Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Physical and chemical prope	erties	
General Information Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value at 20 °C:	6	
Change in condition		
Melting point/Melting range:	0 ℃	
Boiling point/Boiling range:	100 ℃	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	0.994 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Elution Reagent

(Contd. of page 3)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 % Water: 98.4 %

Other information
 No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Elution Reagent

(Contd. of page 4)

- · Additional ecological information:
- · General notes: Generally not hazardous for water.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPO and the IBC Code	DL73/78 Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

- · Section 313 (40CFR372.65):
- 631-61-8 ammonium acetate
- · TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS by HPLC Elution Reagent

(Contd. of page 5)

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

* * Data compared to the previous version altered.

DUS -



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Mobile Phase
- · Catalog or product number: 195-6076
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:			
7732-18-5	water		50-100%
67-63-0	propan-2-ol	Xi R36	5-10%
		F R11	
		R67	

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable
- · Information concerning particular hazards for human and environment: not applicable

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Mobile Phase

(Contd. of page 1)

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Hanaiing
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Mobile Phase

· Specific end use(s) No further relevant information available.

(Contd. of page 2)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

PEL (United States) 980 mg/m³, 400 ppm

REL (United States) Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV (United States) | Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

7664-38-2 phosphoric acid

PEL (United States) 1 mg/m³

REL (United States) Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

TLV (United States) Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Odorless

· Odour threshold: Not determined.

• **pH-value at 20 °C:** 5.5

· Change in condition

Melting point/Melting range: undetermined

Boiling point/Boiling range: 93 °C

· Flash point: 21 - 55 °C

Flammability (solid, gaseous) Not applicable.

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Mobile Phase

	(Contd. of page 3
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C:	23 hPa
Density:Relative densityVapour densityEvaporation rate	Not determined Not determined. Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: dynamic: kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water: · Other information	5.6 % 93.7 % No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

· Acute toxicity:

67-63-0 propan-2-ol

 Oral
 LD50
 4570 mg/kg (rat)

 Dermal
 LD50
 13400 mg/kg (rab)

 Inhalative
 LC50/4 h
 30 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Mobile Phase

(Contd. of page 4)

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Mobile Phase

(Contd. of page 5)

 Transport 	t haz	zard cl	lass('es))
-------------------------------	-------	---------	-------	------	---

· ADR, ADN, IMDG, IATA

· Class Void

Packing group

· ADR, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant:

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

· SARA (Superfund Amendents and Reauthorization Act of 1986 - USA)

Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	5-10

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)



Reviewed on 06/02/2015 Printing date 06/03/2015

Trade name: UMETS by HPLC Mobile Phase

(Contd. of page 6)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UCAT/UMET Urine Calibrator/Urine Std
- · Catalog or product number: 195-6021, 189-6005
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

Human Urine - Lyophilized

- · Additional information: Contains human sourced and/or potentially infectious components.
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Void
- · Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system
- · NFPA ratings (scale 0-4)

Health = 0

Fire = 0

Reactivity = 0

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Urine Calibrator/Urine Std

(Contd. of page 1)

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

5 Fire-fighting measures

- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Disinfectant
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Urine Calibrator/Urine Std

· Eye protection: Safety glasses

(Contd. of page 2)

9 Physical and chemical prope	erties
General Information Appearance: Form: Color: Odor: Odour threshold:	Solid Light yellow Recognizable Not determined.
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
Density:Relative densityVapour densityEvaporation rate	Not determined Not determined. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/wat	t er): Not determined.
· Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
· Solvent content: Organic solvents:	0.0 %
Solids content: · Other information	100.0 % No further relevant information available.



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Urine Calibrator/Urine Std

(Contd. of page 3)

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Hand over to hazardous waste disposers.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Urine Calibrator/Urine Std

(Contd. of page 4)

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MAI and the IBC Code	RPOL73/78 Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

· Section 313 (40CFR372.65):

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act):
- 51-43-4 epinephrine

62-31-7 dopamine hydrochloride

- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- DU



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UCAT/UMET Urine Calibrator/Urine Std

(Contd. of page 5)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

· * Data compared to the previous version altered.

פווח



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UMETS by HPLC Internal Standard
- · Catalog or product number: 195-6047
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

7732-18-5 water

- · Identification number(s):
- · EC number: 231-791-2
- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components: Void
- · Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrochloric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

shower

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system

· NFPA ratings (scale 0-4)

Health = 2 Fire = 0 Reactivity = 0

4 First-aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire-fighting measures

- Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

— DU



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

(Contd. of page 2)

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL (United States) | Short-term value: C 7 mg/m³, C 5 ppm REL (United States) | Short-term value: C 7 mg/m³, C 5 ppm TLV (United States) | Short-term value: C 2.98 mg/m³, C 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

9 Physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Color: Colorless
Odor: Odorless

· Odour threshold: Not determined.

• pH-value at 20 °C: < 2

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

		(Contd. of pag
Change in condition		
Melting point/Melting range:	0 ℃	
Boiling point/Boiling range:	100 °C	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.002 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	99.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

(Contd. of page 4)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Skin.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

		(Contd. of page 5)
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of I and the IBC Code	MARPOL73/78 Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

· SARA (Superfund Amendents and Reauthorization Act of 1986 - USA)

· Section 302/304 (40CFR355.30 / 40CFR355.40):

7647-01-0 hydrochloric acid

· Section 313 (40CFR372.65):

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act):

7647-01-0 hydrochloric acid

7732-18-5 water

- · National regulations
- · Water hazard class: Generally not hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 7)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS by HPLC Internal Standard

(Contd. of page 6)

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

* Data compared to the previous version altered.

DUS -



Printing date 06/03/2015 Reviewed on 05/13/2015

1 Identification

- · Product identifier
- · Trade name: UMETS Cation Exchange Columns
- · Catalog or product number: 189-6003, 195-6017
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

ı		gg	
	7732-18-5	water	50-100%
	81133-22-4	Acrylic acid-co-divinylbenzene resin	20-35%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system
- NFPA ratings (scale 0-4)

Health = 0

Fire = 0

Reactivity = 0

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 2)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS Cation Exchange Columns

· After swallowing Induce vomiting and call for medical help.

(Contd. of page 1)

5 Fire-fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid, glacial

PEL (United States) 25 mg/m³, 10 ppm

REL (United States) Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

TLV (United States) | Short-term value: 37 mg/m³, 15 ppm

Long-term value: 25 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.

(Contd. on page 3)



Reviewed on 05/13/2015 Printing date 06/03/2015

Trade name: UMETS Cation Exchange Columns

(Contd. of page 2)

- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical prope	erties
General Information Appearance: Form: Color: Odor: Odour threshold:	Suspension Whitish Mild Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined 100 °C
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C:	23 hPa
Density:Relative densityVapour densityEvaporation rate	Not determined Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/wat	t er): Not determined.
· Viscosity: dynamic: kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water:	0.0 % 70.7 %

(Contd. on page 4)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS Cation Exchange Columns

(Contd. of page 3)

Solids content: 44.9 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

חום



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS Cation Exchange Columns

(Contd. of page 4)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

JN-Number DOT, ADR, ADN, IMDG, IATA	Void
JN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MA and the IBC Code	ARPOL73/78 Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

64-19-7 acetic acid, glacial

30007-47-7 5-Bromo-5-nitro-1,3-dioxane

7732-18-5 water

(Contd. on page 6)



Printing date 06/03/2015 Reviewed on 05/13/2015

Trade name: UMETS Cation Exchange Columns

(Contd. of page 5)

- · National regulations
- · Technical instructions (air):

Class	Share in %
11	1.0-2.5

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 06/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

· * Data compared to the previous version altered.

DUS



Printing date 06/03/2015 Reviewed on 06/02/2015

1 Identification

- · Product identifier
- · Trade name: UMETS Anion Exchange Columns
- · Catalog or product number: 189-6004, 195-6018
- · Application of the substance / the mixture In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with non-hazardous additions.
- · Listing of dangerous and non-hazardous components:

7732-18-5	water	50-100%
60177-39-1	Polystyrene-divinylbenzene quaternary ammonium resin	35-50%

· Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

4 First-aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.

– D



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS Anion Exchange Columns

(Contd. of page 1)

5 Fire-fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS Anion Exchange Columns

· Eye protection: Safety glasses

(Contd. of page 2)

Physical and chemical prope		
General Information Appearance: Form: Color: Odor: Odour threshold:	Liquid According to product specification Odorless Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	undetermined undetermined	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density: Relative density Vapour density Evaporation rate	Not determined Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: Water:	0.0 % 50.4 %	
Solids content: Other information	82.8 % No further relevant information available.	



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS Anion Exchange Columns

(Contd. of page 3)

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Target organs: Not applicable.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of waste in accordance to applicable national, regional, or local regulations.

(Contd. on page 5)



Reviewed on 06/02/2015 Printing date 06/03/2015

Trade name: UMETS Anion Exchange Columns

(Contd. of page 4)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARI and the IBC Code	POL73/78 Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

None of the ingredients is listed.

Section 313 (40CFR372.65):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000 (Contd. on page 6)



Printing date 06/03/2015 Reviewed on 06/02/2015

Trade name: UMETS Anion Exchange Columns

(Contd. of page 5)

- · Date of preparation / last revision 06/03/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

· * Data compared to the previous version altered.

DUS