

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

1 Identification of substance:

- **Product details:**
- **Trade name:** REMEDi Urine Calibrator
- **Catalog or product number:** 195-7132
- **Application of the substance / the preparation** In-vitro laboratory reagent or component
- **Manufacturer/Supplier:**
 Bio-Rad Laboratories, Diagnostic Group
 4000 Alfred Nobel Drive
 Hercules, California 94547 1(510)724-7000
- **Information department:** Technical services, customer support.
- **Emergency information:**
 1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/Information on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

· **Listing of dangerous and non-hazardous components:**

	Human Urine - Lyophilized		50-100%
6381-92-6	Ethylenediaminetetraacetic acid disodium salt dihydrate	Xn, Xi; R 22-36/37/38	10-20%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

3 Hazards identification

- **Emergency overview:** not applicable
- **Information pertaining to particular dangers for man and environment**
 The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system**
 The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.
 The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

4 First aid measures

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Induce vomiting and call for medical help.

5 Fire fighting measures

- **Suitable extinguishing agents**
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 2)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: REMEDi Urine Calibrator

(Contd. of page 1)

· **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Not required
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:** Pick up mechanically.
- **Additional information:** No dangerous substances are released.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
No special measures required.
No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

9 Physical and chemical properties:

· **General Information**

Form:	Solid.
Color:	Light yellow
Odor:	Recognizable

· **Change in condition**
Melting point/Melting range: undetermined

(Contd. on page 3)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: REMEDi Urine Calibrator

(Contd. of page 2)

Boiling point/Boiling range:	undetermined
· Flash point:	Not applicable
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined
· Solubility in / Miscibility with Water:	Fully miscible
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:** No dangerous decomposition products known

11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

6381-92-6 Ethylenediaminetetraacetic acid disodium salt dihydrate

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritant effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Target organs:** Not applicable.

12 Ecological information:

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 4)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: REMEDi Urine Calibrator

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 3)

13 Disposal considerations

- **Product:**
- **Recommendation** Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -
- **Transport/Additional information:** Not dangerous according to the above specifications.

15 Regulations

- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**
- **Section 302/304 (40CFR355.30 / 40CFR355.40):**
None of the ingredients is listed.
- **Section 313 (40CFR372.65):**
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**
51-57-0 (+)-Methamphetamine hydrochloride
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.
- **NTP (National Toxicology Program)**
None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.
- **Markings according to EU guidelines:**
Observe the general safety regulations when handling chemicals

(Contd. on page 5)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: REMEDi Urine Calibrator

(Contd. of page 4)

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Environmental Health and Safety.

- **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- * **Data compared to the previous version altered.**