

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

1 Identification of substance:

- **Product details:**
- **Trade name:** Lupus Screen Positive Control, Calibrator
- **Catalog or product number:** 210LS, 200LS
- **Application of the substance / the preparation** In-vitro laboratory reagent or component
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Diagnostic Group
4000 Alfred Nobel Drive
Hercules, California 94547 1(510)724-7000
- **Information department:** Technical services, customer support.
- **Emergency information:**
1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/Information on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

- **Listing of dangerous and non-hazardous components:**

56-81-5	glycerol	35-50%
7732-18-5	water	35-50%
	Human Source Material	10-20%
	Goat Serum	2.5-5%

- **Additional information**
Contains human sourced and/or potentially infectious components.
For the wording of the listed risk phrases refer to section 15.

3 Hazards identification

- **Emergency overview:** not applicable
- **Information pertaining to particular dangers for man and environment**
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system**
The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.
The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.
- **NFPA ratings (scale 0-4)**
Health = 0
Fire = 0
Reactivity = 0

4 First aid measures

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.

(Contd. on page 2)

DUS

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: Lupus Screen Positive Control, Calibrator

(Contd. of page 1)

- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Induce vomiting and call for medical help.

5 Fire fighting measures

- **Suitable extinguishing agents**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Handle as potentially infectious.
- **Measures for environmental protection:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Disinfectant
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Additional information:** No dangerous substances are released.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
No special measures required.
No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

56-81-5 glycerol

PEL (United States)	15* 5** mg/m ³ *total dust **respirable fraction
TLV (United States)	10* ppm *Mist

26628-22-8 sodium azide

REL (United States)	Short-term value: C 0.3** mg/m ³ , C 0.1* ppm *as HN3 vapor; **as NaN3; Skin
TLV (United States)	Short-term value: C 0.29** mg/m ³ , C 0.11* ppm *as HN3 vapor **as NaN3

(Contd. on page 3)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: Lupus Screen Positive Control, Calibrator

(Contd. of page 2)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**
Follow the usual biosafety practices for handling potentially infectious materials.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

9 Physical and chemical properties:

· **General Information**

Form:	liquid
Color:	Light yellow
Odor:	Odorless

· **Change in condition**

Melting point/Melting range: undetermined
Boiling point/Boiling range: undetermined

· **Flash point:** Not applicable

· **Ignition temperature:** 400°C

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: 0.9 Vol %

· **Vapor pressure at 20°C:** 23 hPa

· **Density:** Not determined

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Solvent content:**

Organic solvents:	49.3 %
Water:	35.2 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions**
This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.

(Contd. on page 4)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: Lupus Screen Positive Control, Calibrator

(Contd. of page 3)

· **Dangerous products of decomposition:** No dangerous decomposition products known

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
 The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Target organs:** Not applicable.

12 Ecological information:

- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
 Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
 Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

(Contd. on page 5)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: Lupus Screen Positive Control, Calibrator

(Contd. of page 4)

· **Transport/Additional information:** Not dangerous according to the above specifications.

15 Regulations

· **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

· **Section 313 (40CFR372.65):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

56-81-5	glycerol
7732-18-5	water
7647-14-5	sodium chloride
26628-22-8	sodium azide
7558-79-4	disodium hydrogenorthophosphate
7558-80-7	Sodium dihydrogen phosphate

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Markings according to EU guidelines:**

Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (GefStoffV).

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	35-50

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environmental Health and Safety.

· **Contact:**

(Contd. on page 6)

Material Safety Data Sheet

Printing date 04/05/2010

Reviewed on 10/21/2009

Trade name: Lupus Screen Positive Control, Calibrator

(Contd. of page 5)

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· * **Data compared to the previous version altered.**

DUS