

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

1 Identification

- **Product identifier**
- **Trade name:** Stop Reagent
- **Catalog or product number:** 532-5407, 532-6115, 532-5430
- **Application of the substance / the mixture** *In-vitro laboratory reagent or component*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Bio-Rad Laboratories, Diagnostic Group
4000 Alfred Nobel Drive
Hercules, California 94547* 1(510)724-7000
- **Information department:**
*Technical services, customer support
TechsupportUSSD@bio-rad.com*
- **Emergency telephone number:**
1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** *Mixture of the substances listed below with non-hazardous additions.*

· **Listing of dangerous and non-hazardous components:**

7664-93-9	sulphuric acid	1.0-2.5%
7732-18-5	water	50-100%
7647-01-0	hydrochloric acid	1.0-2.5%

- **Additional information** *For the wording of the listed risk phrases refer to section 15.*

3 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**
*sulphuric acid
hydrochloric acid*
- **Hazard statements**
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

(Contd. of page 1)

- **Precautionary statements**

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system**

- **NFPA ratings (scale 0-4)**

Health = 1

Fire = 0

Reactivity = 0

4 First-aid measures

- **General information** Immediately remove any clothing soiled by the product.

- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing**

Rinse mouth with water. Seek medical attention and appropriate follow-up.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment (See section 8). Keep unprotected persons away.

Wear protective clothing.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

(Contd. of page 2)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

7647-01-0 hydrochloric acid

PEL (United States)	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL (United States)	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV (United States)	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**
Synthetic gloves
- **For the permanent contact gloves made of the following materials are suitable:** Synthetic gloves
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Synthetic gloves
- **As protection from splashes gloves made of the following materials are suitable:** Synthetic gloves
- **Eye protection:**
Safety glasses

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

Tightly sealed goggles.

(Contd. of page 3)

9 Physical and chemical properties

· **General Information**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** Odorless

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** < 1

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: 85 °C

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure at 20 °C:** 23 hPa

· **Density at 20 °C:** 1.02598 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

dynamic: Not determined.

kinematic: Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

Water: 95.9 %

· **Other information** No further relevant information available.

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

(Contd. of page 4)

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:**
Strong caustic effect on skin and mucous membranes.
Caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7664-93-9	sulphuric acid	1
7647-01-0	hydrochloric acid	3

· **NTP (National Toxicology Program)**

7664-93-9	sulphuric acid	K
-----------	----------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Target organs:** Skin.

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

(Contd. of page 5)

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid, Hydrochloric acid)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID, HYDROCHLORIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID, HYDROCHLORIC ACID)
· Transport hazard class(es)	
· Label	8
· ADR, IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/02/2015

Reviewed on 05/26/2015

Trade name: Stop Reagent

(Contd. of page 6)

<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid, Hydrochloric acid), 8, III</p>

15 Regulatory information

· **SARA (Superfund Amendants and Reauthorization Act of 1986 - USA)**

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

7664-93-9 sulphuric acid

7647-01-0 hydrochloric acid

· **Section 313 (40CFR372.65):**

7664-93-9 sulphuric acid

7647-01-0 hydrochloric acid

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 06/02/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

· *** Data compared to the previous version altered.**