

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

## 1 Identification

- **Product identifier**
- **Trade name:** Liquichek™ Urinalysis Control, Level 2
- **Catalog or product number:** 437
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU20 Health services
- **Application of the substance / the mixture** In-vitro laboratory reagent or component
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Diagnostic Group  
9500 Jeronimo Road  
Irvine, California 92618-2017
- 1(949) 598-1200
- **Information department:** Technical services, customer support
- **Emergency telephone number:**  
1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**  
5-chloro-2-methyl-2H-isothiazol-3-one
- **Hazard statements**  
H317 May cause an allergic skin reaction.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P280 Wear protective gloves.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P363 Wash contaminated clothing before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P302+P352 If on skin: Wash with plenty of water.
- **Emergency overview:**
- **Routes of exposure:**  
Ingestion  
Skin  
Inhalation

(Contd. on page 2)

- QUS

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

**Trade name: Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 1)

- **Classification system**
- **NFPA ratings (scale 0-4)**  
Health = 0  
Fire = 0  
Reactivity = 0
- **Special Hazards** Contains human sourced and/or potentially infectious components.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

· **Listing of dangerous and non-hazardous components:**

	Human Urine	50-100%
CAS: 57-13-6 EINECS: 200-315-5	urea	1.0-2.5%
CAS: 56-40-6 EINECS: 200-272-2	Glycine	0.1-1.0%
CAS: 26172-55-4 EINECS: 247-500-7	5-chloro-2-methyl-2H-isothiazol-3-one	.001-.01%
CAS: 7732-18-5 EINECS: 231-791-2	water	20-35%

- **Additional information**  
Contains human sourced and/or potentially infectious components.  
Contains components derived from human urine.  
Contains added constituents of animal origin.

**4 First-aid measures**

- **Description of first aid measures**
- **General information**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**  
Skin irritation  
Eye irritation
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

QUS  
(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

Trade name: **Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 2)

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Handle as potentially infectious.
- **Environmental precautions:**  
Keep contaminated washing water and dispose of appropriately.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb liquid components with liquid-binding material.  
Pick up mechanically.  
Clean the affected area carefully; suitable cleaners are:  
Disinfectant
- **Reference to other sections** See Section 13 for disposal information.

**7 Handling and storage**

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Refer to package insert for additional information regarding storage conditions.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>	
<b>57-13-6 urea</b>	
WEEL (United States)	Long-term value: 10 mg/m <sup>3</sup>

(Contd. on page 4)

QUS

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

**Trade name: Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 3)

**56-40-6 Glycine**

REL (United States)	Long-term value: 1 mg/m <sup>3</sup> as Fe
TLV (United States)	Long-term value: 1 mg/m <sup>3</sup> as Fe

**67-64-1 acetone**

PEL (United States)	Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm
REL (United States)	Long-term value: 590 mg/m <sup>3</sup> , 250 ppm
TLV (United States)	Short-term value: (1782) NIC-1187 mg/m <sup>3</sup> , (750) NIC-500 ppm Long-term value: (1188) NIC-475 mg/m <sup>3</sup> , (500) NIC-200 ppm BEI

**64-17-5 ethanol**

PEL (United States)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL (United States)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV (United States)	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

**26628-22-8 sodium azide**

REL (United States)	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> ; **as NaN <sub>3</sub> ; Skin
TLV (United States)	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor **as NaN <sub>3</sub>

**· Ingredients with biological limit values:**

**67-64-1 acetone**

BEI (United States)	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)
---------------------	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Follow the usual biosafety practices for handling potentially infectious materials.  
The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:** Protective gloves.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Synthetic gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing.

QUS

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

Trade name: **Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 4)

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Amber

· **Odor:** Light

· **pH-value at 20 °C:** 7.0-8.5

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: undetermined

· **Flash point:** Not applicable

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Solvent content:**

Organic solvents: 0.0 %

Water: 20-35 %

Solids content: 4.7 %

· **Other information** No further relevant information available.

**10 Stability and reactivity**

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known

**11 Toxicological information**

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritant effect.

· **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

**Trade name: Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 5)

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5 ethanol

1

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation**

Dispose of waste in accordance to applicable national, regional, or local regulations.

Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA**

Void

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

**Trade name: Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 6)

· <b>UN proper shipping name</b> · <b>DOT, ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>Packing group</b> · <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendants and Reauthorization Act of 1986 - USA)

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

26628-22-8 sodium azide

· **Section 313 (40CFR372.65):**

7632-00-0 sodium nitrite

26628-22-8 sodium azide

· **TSCA (Toxic Substances Control Act):**

57-13-6 urea

7647-14-5 sodium chloride

50-99-7 glucose

7447-40-7 potassium chloride

60-27-5 Creatinine

9048-46-8 Bovine Serum Albumin

56-40-6 Glycine

Proprietary Reagent DD

Proprietary Reagent J4

70024-90-7 Human Serum Albumin (HSA)

Proprietary Reagent J2

9008-02-0 Hemoglobin

Proprietary Reagent J5

26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one

Proprietary Reagent CC

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/26/2015

Reviewed on 05/26/2015

**Trade name: Liquichek™ Urinalysis Control, Level 2**

(Contd. of page 7)

· **California Proposition 65:**

· **Developmental Toxicity**

1405-41-0	Gentamicin Sulfate	
32986-56-4	tobramycin	
64-17-5	ethanol	

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

67-64-1	acetone	I
---------	---------	---

· **TLV (Threshold Limit Value established by ACGIH)**

67-64-1	acetone	A4
64-17-5	ethanol	A3
26628-22-8	sodium azide	A4

· **MAK (German Maximum Workplace Concentration)**

64-17-5	ethanol	5
---------	---------	---

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environmental Health and Safety.
- **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- **Date of preparation / last revision** 05/26/2015 / -

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

- **\* Data compared to the previous version altered.**