

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

1 Identification

- **Product identifier**
- **Trade name:** Liquichek™ Qualitative Urine Toxicology - Positive Level
- **Catalog or product number:** 455
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU20 Health services
- **Application of the substance / the mixture** In-vitro laboratory reagent or component
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Diagnostic Group
9500 Jeronimo Road
Irvine, California 92618-2017
- 1(949) 598-1200
- **Information department:** Technical services, customer support
- **Emergency telephone number:**
1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Emergency overview:**
- **Routes of exposure:**
Ingestion
Inhalation
Skin
- **Classification system**
- **NFPA ratings (scale 0-4)**
Health = 0
Fire = 0
Reactivity = 0
- **Special Hazards**
Contains human sourced and/or potentially infectious components.
Contains components derived from human urine.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

(Contd. on page 2)

QUS

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: Liquichek™ Qualitative Urine Toxicology - Positive Level

(Contd. of page 1)

· **Listing of dangerous and non-hazardous components:**

Human Urine

50-100%

· **Additional information**

Contains human sourced and/or potentially infectious components.

Contains added constituents of animal origin.

4 First-aid measures

· **Description of first aid measures**

· **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Handle as potentially infectious.

· **Environmental precautions:**

Keep contaminated washing water and dispose of appropriately.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Disinfectant

· **Reference to other sections** See Section 13 for disposal information.

QUS

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: **Liquichek™ Qualitative Urine Toxicology - Positive Level**

(Contd. of page 2)

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Refer to package insert for additional information regarding storage conditions.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL (United States)	Long-term value: 1900 mg/m ³ , 1000 ppm
REL (United States)	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV (United States)	Short-term value: 1880 mg/m ³ , 1000 ppm

26628-22-8 sodium azide

REL (United States)	Ceiling limit value: 0.3** mg/m ³ , 0.1* ppm *as HN ₃ ; **as NaN ₃ ; Skin
TLV (United States)	Ceiling limit value: 0.29** mg/m ³ , 0.11* ppm *as HN ₃ vapor **as NaN ₃

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Follow the usual biosafety practices for handling potentially infectious materials.
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

QUS

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: **Liquichek™ Qualitative Urine Toxicology - Positive Level**

(Contd. of page 3)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid
Color: Light yellow
Odor: Light

· **pH-value at 20 °C:** 6.4-6.6

· **Change in condition**

Melting point/Melting range: undetermined
Boiling point/Boiling range: undetermined

· **Flash point:** Not applicable

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density:** Not determined

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Solvent content:**

Organic solvents: 0.3 %

Solids content: 0.1 %

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritant effect.

· **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

QUS

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: Liquichek™ Qualitative Urine Toxicology - Positive Level

(Contd. of page 4)

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5	ethanol	1
7681-49-4	sodium fluoride	3
604-75-1	Oxazepam	2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Dispose of waste in accordance to applicable national, regional, or local regulations.

Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

QUS

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: **Liquichek™ Qualitative Urine Toxicology - Positive Level**

(Contd. of page 5)

14 Transport information

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

- **Section 302/304 (40CFR355.30 / 40CFR355.40):**

26628-22-8	sodium azide
------------	--------------

- **Section 313 (40CFR372.65):**

26628-22-8	sodium azide
------------	--------------

- **TSCA (Toxic Substances Control Act):**

64-17-5	ethanol
---------	---------

26628-22-8	sodium azide
------------	--------------

	Proprietary Reagent KL
--	------------------------

7681-49-4	sodium fluoride
-----------	-----------------

51-57-0	(+)-Methamphetamine hydrochloride
---------	-----------------------------------

1639-60-7	dextropropoxyphene hydrochloride
-----------	----------------------------------

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

604-75-1	Oxazepam
----------	----------

- **Developmental Toxicity**

64-17-5	ethanol
---------	---------

1405-41-0	Gentamicin Sulfate
-----------	--------------------

604-75-1	Oxazepam
----------	----------

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/21/2015

Reviewed on 08/21/2015

Trade name: Liquichek™ Qualitative Urine Toxicology - Positive Level

(Contd. of page 6)

· Carcinogenic categories
· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5	ethanol	A3
26628-22-8	sodium azide	A4
7681-49-4	sodium fluoride	A4

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

5

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations
· Technical instructions (air):

Class	Share in %
NK	0.1-1.0

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environmental Health and Safety.

· Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· Date of preparation / last revision 08/21/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Data compared to the previous version altered.