

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

**1 Identification**

- **Product identifier**
- **Trade name:** 350nM HEX Calibration Dye
- **Catalog or product number:** 10032107
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547 (510)741-1000
- **Information department:**  
Technical services, customer support  
lsg\_techserv\_us@bio-rad.com
- **Emergency telephone number:**  
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.  
510-741-1000

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).

---

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:** Contact with acids may cause release of toxic gases
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

· **Listing of dangerous and non-hazardous components:**

	Proprietary Reagent J11	10-20%
7732-18-5	water	50-100%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

## Safety Data Sheet

acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

Trade name: 350nM HEX Calibration Dye

(Contd. of page 1)

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Induce vomiting and call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

US  
(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

Trade name: 350nM HEX Calibration Dye

(Contd. of page 2)

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**26628-22-8 sodium azide**

REL	Short-term value: C 0.3** mg/m <sup>3</sup> , C 0.1* ppm *as HN <sub>3</sub> ; **as NaN <sub>3</sub> ; Skin
TLV	Short-term value: C 0.29** mg/m <sup>3</sup> , C 0.11* ppm *as HN <sub>3</sub> vapor **as NaN <sub>3</sub>

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odour threshold:	Not determined.

· **pH-value at 20 °C:** 8.3

· **Change in condition**

Melting point/Melting range:	undetermined
Boiling point/Boiling range:	undetermined

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 400 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	0.9 Vol %
--------	-----------

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

**Trade name: 350nM HEX Calibration Dye**

(Contd. of page 3)

<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C:</b>	23 hPa
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	10.5 %
<b>Water:</b>	88.1 %
<b>Solids content:</b>	1.4 %
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**  
This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
This product contains sodium azide. Sodium azide can react with copper, brass, lead, and solder in piping systems to form explosive compounds of lead azide and copper azide.
- **Hazardous decomposition products:** No dangerous decomposition products known

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

**Trade name: 350nM HEX Calibration Dye**

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Target organs:** Not applicable.

**12 Ecological information**

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA**

Void

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA**

Void

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

Trade name: 350nM HEX Calibration Dye

(Contd. of page 5)

· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

26628-22-8	sodium azide
------------	--------------

· **Section 313 (40CFR372.65):**

	Proprietary Reagent SR 2
--	--------------------------

26628-22-8	sodium azide
------------	--------------

· **TSCA (Toxic Substances Control Act):**

	Proprietary Reagent J11
--	-------------------------

	Proprietary Reagent K
--	-----------------------

	Proprietary Reagent PW1
--	-------------------------

	Proprietary Reagent KL
--	------------------------

	Proprietary Reagent SR 2
--	--------------------------

	Proprietary Reagent MK10
--	--------------------------

26628-22-8	sodium azide
------------	--------------

7732-18-5	water
-----------	-------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8	sodium azide	A4
------------	--------------	----

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 07/01/2015

Reviewed on 06/10/2015

**Trade name: 350nM HEX Calibration Dye**

(Contd. of page 6)

- **National regulations**
- **Technical instructions (air):**

Class	Share in %
NK	10-20

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environmental Health and Safety.

- **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- **Date of preparation / last revision** 07/01/2015 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- **\* Data compared to the previous version altered.**