

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

1 Identification

- **Product identifier**
- **Trade name:** Trans-Blot® Turbo 0.2 micron PVDF Membrane
- **Catalog or product number:** 1704156, 1704157
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:** Contact with acids may cause release of toxic gases
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with non-hazardous additions.

· **Listing of dangerous and non-hazardous components:**

64-17-5	ethanol	Flam. Liq. 2, H225 Carc. 1A, H350	10-20%
77-86-1	Tris(hydroxymethyl)aminomethane	Eye Irrit. 2A, H319	2.5-5%

- **Additional information** For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Induce vomiting and call for medical help.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: Trans-Blot® Turbo 0.2 micron PVDF Membrane

(Contd. of page 1)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

64-17-5	ethanol	1,800 ppm
77-86-1	Tris(hydroxymethyl)aminomethane	18 mg/m3
67-56-1	methanol	530 ppm
151-21-3	sodium dodecyl sulphate	3.9 mg/m3

· **PAC-2:**

64-17-5	ethanol	3300* ppm
77-86-1	Tris(hydroxymethyl)aminomethane	190 mg/m3
67-56-1	methanol	2,100 ppm
151-21-3	sodium dodecyl sulphate	43 mg/m3

· **PAC-3:**

64-17-5	ethanol	15000* ppm
77-86-1	Tris(hydroxymethyl)aminomethane	1,200 mg/m3
67-56-1	methanol	7200* ppm
151-21-3	sodium dodecyl sulphate	260 mg/m3

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: Trans-Blot® Turbo 0.2 micron PVDF Membrane

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

64-17-5 ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm

67-56-1 methanol

PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm
TLV	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI

- **Ingredients with biological limit values:**

67-56-1 methanol

BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves** Synthetic gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: **Trans-Blot® Turbo 0.2 micron PVDF Membrane**

(Contd. of page 3)

· **Eye protection:** Safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.

· **pH-value at 20 °C:** 8.9

· **Change in condition**

· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	78 °C

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 425 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	3.5 Vol %
· Upper:	15.0 Vol %

· **Vapor pressure at 20 °C:** 59 hPa

· **Density:** Not determined

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Soluble

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:** Not determined.

· **kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 15.2 %

· **Water:** 78.0 %

· **Solids content:** 6.7 %

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: Trans-Blot® Turbo 0.2 micron PVDF Membrane

(Contd. of page 4)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

64-17-5 ethanol

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)

77-86-1 Tris(hydroxymethyl)aminomethane

Oral	LD50	5900 mg/kg (rat)
------	------	------------------

67-56-1 methanol

Oral	LD50	5628 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5 ethanol	1
-----------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: Trans-Blot® Turbo 0.2 micron PVDF Membrane

(Contd. of page 5)

· **Target organs:** Not applicable.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: **Trans-Blot® Turbo 0.2 micron PVDF Membrane**

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

· **Section 313 (40CFR372.65):**

67-56-1 | methanol

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **California Proposition 65:**

· **Developmental Toxicity**

64-17-5 | ethanol

67-56-1 | methanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 | ethanol

A3

· **MAK (German Maximum Workplace Concentration)**

64-17-5 | ethanol

5

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
I	0.1-1.0
NK	10-20

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 04/21/2017 / -

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/21/2017

Reviewed on 04/21/2017

Trade name: Trans-Blot® Turbo 0.2 micron PVDF Membrane

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity – Category 1A