

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

1 Identification

- **Product identifier**
- **Trade name: dsDNA Calibrator, dsDNA Positive Control**
- **Catalog or product number: 200DS, 210DS, 423-1002, 423-1003**
- **Application of the substance / the mixture** *In-vitro laboratory reagent or component*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Bio-Rad Laboratories, Diagnostic Group
4000 Alfred Nobel Drive
Hercules, California 94547* 1(510)724-7000
- **Information department:** *TechsupportUSSD@bio-rad.com*
- **Emergency telephone number:**
1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** *Not Applicable*
- **Hazard pictograms** *Not Applicable*
- **Signal word** *Not Applicable*
- **Hazard statements** *Not Applicable*
- **Classification system**
- **Special Hazards** *Contains human sourced and/or potentially infectious components.*

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** *Mixture of the substances listed below with non-hazardous additions.*

Listing of dangerous and non-hazardous components:

56-81-5 glycerol	35-50%
------------------	--------

- **Additional information**
*Contains human sourced and/or potentially infectious components.
For the wording of the listed risk phrases refer to section 15.*

4 First-aid measures

- **Description of first aid measures**
- **General information** *No special measures required.*
- **After inhalation** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact** *Generally the product does not irritate the skin.*
- **After eye contact** *Rinse opened eye for several minutes under running water.*
- **After swallowing** *Rinse mouth with water. Seek medical attention and appropriate follow-up.*

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 1)

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Disinfectant
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
glycerol		45 mg/m ³
· PAC-2:		
56-81-5	glycerol	180 mg/m ³
· PAC-3:		
56-81-5	glycerol	1,100 mg/m ³

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** According to product specification
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 2)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

56-81-5 glycerol

PEL (United States) Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV (United States) TLV withdrawn-insufficient data human occup. exp.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Follow the usual biosafety practices for handling potentially infectious materials.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves.

· **Material of gloves** Synthetic gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Whitish

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value at 20 °C:** 5.0-8.0

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: 100 °C

· **Flash point:** 160 °C

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 400 °C

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 3)

· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	0.9 Vol %
Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density:	Not determined
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	45.1 %
Water:	32.2 %
Solids content:	0.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values for hazardous components per OSHA criteria:**

56-81-5 glycerol

Oral	LD50	4,090 mg/kg (mouse)
------	------	---------------------

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 4)

		12,600 mg/kg (rat)
Dermal	LD50	10,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>30 mg/l (Rat)

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritant effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Target organs:** Not applicable.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Generally not hazardous for water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of waste in accordance to applicable national, regional, or local regulations.

Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendants and Reauthorization Act of 1986 - USA)**

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

· **Section 313 (40CFR372.65):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

The product does not contain listed components.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/27/2019

Reviewed on 08/27/2019

Trade name: dsDNA Calibrator, dsDNA Positive Control

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Developmental Toxicity**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	35-50

· **Water hazard class:** Generally not hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 08/27/2019 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

· *** Data compared to the previous version altered.**