

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

1 Identification

- **Product identifier**
- **Trade name:** Flamingo Fluorescent Gel Stain, 10X
- **Catalog or product number:** 1610490, 1610491, 1610492, 1610890
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bio-Rad Laboratories, Life Science Group
2000 Alfred Nobel Drive
Hercules, California 94547 (510)741-1000
- **Information department:** lsg_techserv_us@bio-rad.com
- **Emergency telephone number:**
1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.
510-741-1000

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** Danger
- **Hazard statements**
H225 Highly flammable liquid and vapor.
- **Precautionary statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with non-hazardous additions.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 1)

· Listing of dangerous and non-hazardous components:

64-17-5	ethanol	Flam. Liq. 2, H225	35-50%
67-56-1	methanol	Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	≥2.5-<3%
67-68-5	dimethyl sulfoxide		0.01-0.1%

· Additional information For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

· Description of first aid measures

- General information** Immediately remove any clothing soiled by the product.
- After inhalation** Supply fresh air; consult doctor in case of complaints.
- After skin contact**
Generally the product does not irritate the skin.
Immediately rinse with water.
- After eye contact** Rinse opened eye for several minutes under running water.
- After swallowing** Rinse mouth with water. Seek medical attention and appropriate follow-up.
- Information for doctor**
- Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media**
- Suitable extinguishing agents**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents** Water with full jet.
- Special hazards arising from the substance or mixture** No further relevant information available.
- Advice for firefighters**
- Protective equipment:** No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures**
Wear protective equipment (See section 8). Keep unprotected persons away.
Wear protective clothing.
- Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 2)

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

ethanol	1,800 ppm
methanol	530 ppm

PAC-2:

64-17-5 ethanol	3300* ppm
67-56-1 methanol	2,100 ppm

PAC-3:

64-17-5 ethanol	15000* ppm
67-56-1 methanol	7200* ppm

7 Handling and storage

Handling

Precautions for safe handling No special measures required.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm

Skin; BEI

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 3)

67-63-0 propan-2-ol

PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI

7664-38-2 phosphoric acid

PEL	Long-term value: 1 mg/m ³
REL	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³
TLV	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³

67-68-5 dimethyl sulfoxide

WEEL	Long-term value: 250 ppm
------	--------------------------

Ingredients with biological limit values:

67-56-1 methanol

BEI	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
-----	-------------------------------------------------------------------------------------------------

67-63-0 propan-2-ol

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	-------------------------------------------------------------------------------------------------------------------

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Not required.
Not necessary if room is well-ventilated. Adequate ventilation required.

· **Protection of hands:** Protective gloves.

· **Material of gloves:** Synthetic gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses
Tightly sealed goggles.

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Liquid

· **Color:** Pink

· **Odor:** Alcohol-like

· **Odor threshold:** Not determined.

· **pH-value at 20 °C:** <2.1

· **Change in condition**

· **Melting point/Melting range:** undetermined

· **Boiling point/Boiling range:** 78 °C

· **Flash point:** < 23 °C

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 425 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

· **Lower:** 3.5 Vol %

· **Upper:** 15 Vol %

· **Vapor pressure at 20 °C:** 59 hPa

· **Density:** Not determined

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Fully miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:** Not determined.

· **kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 53.1 %

· **Water:** 44.9 %

· **Solids content:** 2.0 %

· **Other information** No further relevant information available.

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values for hazardous components per OSHA criteria:**

64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5	ethanol	1
67-63-0	propan-2-ol	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1170
· UN proper shipping name	
· DOT, IATA	ETHANOL SOLUTION
· ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	3
· EMS Number:	F-E, S-E
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 7)

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations**

Void
Void

· **ADR**

· **Excepted quantities (EQ)**

Code: E

· **IMDG**

· **Limited quantities (LQ)**

· **Excepted quantities (EQ)**

1
Code: E

· **UN "Model Regulation":**

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA (Superfund Amendments and Reauthorization Act of 1986 - USA)**

· **Section 302/304 (40CFR355.30 / 40CFR355.40):**

None of the ingredients is listed.

· **Section 313 (40CFR372.65):**

67-56-1 methanol

· **TSCA (Toxic Substances Control Act):**

64-17-5 ethanol

67-56-1 methanol

67-63-0 propan-2-ol

7664-38-2 phosphoric acid

67-68-5 dimethyl sulfoxide

7732-18-5 water

· **TSCA new (21st Century Act)**

64-17-5 ethanol

ACTIVE/EXEMPT

67-56-1 methanol

ACTIVE/EXEMPT

67-68-5 dimethyl sulfoxide

ACTIVE/EXEMPT

· **California Proposition 65:**

None of the ingredients is listed.

· **Chemicals known to cause cancer:**

The product does not contain listed components.

· **Developmental Toxicity**

64-17-5 ethanol

* 47.8000%

67-56-1 methanol

* 2.7000%

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/12/2018

Reviewed on 12/12/2018

Trade name: Flamingo Fluorescent Gel Stain, 10X

(Contd. of page 8)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
I	2.5-5
NK	50-100

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental Health and Safety.

· **Contact:**

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· **Date of preparation / last revision** 12/12/2018 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

· *** Data compared to the previous version altered.**